

A REPRODUCIBLE TWO-TOOL FRAMEWORK

ACTIVETM

Creating portable, interactive, multimedia artifacts from a single
AI-directed production conversation.

“A conversation becomes a destination.”

CONCEPT & METHODOLOGY

Cedric Chaffold

Version 1.0 | July 2026

PROMPT-BORN | HUMAN-DIRECTED
AI-ASSEMBLED | WEB-NATIVE



From creative conversation to deployable digital object.

Active HTML™ is a reproducible method for transforming an AI-assisted creative session into a self-contained interactive multimedia experience.

The framework compresses the required creative-production stack into two principal tools: a multifunctional large language model and ElevenLabs. The LLM develops and assembles the text, imagery, interface, code, scripts, metadata and project structure. ElevenLabs supplies customized narration and character voice.

The human creator remains the author, producer and final authority - directing the concept, approving the work, generating the prescribed audio files and publishing the completed package.

CORE PRODUCTION ENGINE

Multifunctional LLM
+ ElevenLabs

Standard hosting and DNS are publishing infrastructure, not additional creative-production tools.

OUTPUT

A complete folder or ZIP package.

HTML

CSS

JavaScript

Images

Audio

Video

VALIDATED FIRST ITERATION

The workflow has been mapped, tested, packaged and published through a live PlatinumLogik proof artifact.

SEMANTIC DESTINATION

viewpoint.perceptron
.platinumlogik.com

Static content is viewed.
Active HTML is experienced.

An image no longer has to remain an isolated image. A narration no longer has to remain a detached audio file. A video no longer has to remain an unused clip. A thought no longer has to remain buried in a conversation.

Active HTML™ binds these fragments into a coherent, portable and independently publishable destination.


CREATIVE COMPRESSION

**Fewer
tools.**

More possible outputs.

Modern multimedia creation still behaves like an assembly line.

The capabilities exist. The friction lives between them.



Tool switching

Every transition interrupts momentum and introduces conversion work.

Asset drift

One renamed file can disconnect a control or break a page.

Technical gaps

Great ideas stall between creative vision and executable code.

Repeatability

A heroic one-off process does not become a scalable system.



The stack collapses. The capability expands.

01

MULTIFUNCTIONAL LLM

The central studio

Writer

Researcher

Designer

Coder

Image maker

Music maker

Asset organizer

Package assembler

The LLM generates and coordinates the complete experience rather than producing disconnected fragments.

+

02

ELEVENLABS

The specialized voice engine

Narrator

Pronunciation

Character voice

Emotional delivery

Dialogue

Audio export

Prewritten, pre-named scripts become customized audio that drops directly into the prepared HTML structure.

THE HUMAN ROLE

The human is not the third tool. The human is the author, producer, curator and final authority.

Creative engine is not the same as publishing infrastructure.

This distinction preserves the power of the two-tool claim without pretending a public website requires no host.

REQUIRED CREATIVE PRODUCTION

LLM + ElevenLabs

- Concept and content
- Image, music and interface creation
- HTML, CSS and JavaScript
- Narration scripts and filenames
- Final assembly and packaging

Minimum viable creative engine

PUBLISHING AND OPTIONAL ENHANCEMENT

Host + DNS

- Netlify or GitHub Pages
- Squarespace-managed DNS
- Custom subdomains and HTTPS
- Optional Sora or other video generators
- Optional specialist editing tools

Distribution and expansion layer

A printing service does not become part of the writing method. Likewise, a web host delivers Active HTML™ but does not define its creative core.



Create. Voice. Bind. Publish.

The entire system can be remembered as four verbs - each representing a distinct handoff.

CREATE

The LLM builds the content, design, code, asset plan, narration scripts and exact filenames.

VOICE

The human converts each prepared script into a matching ElevenLabs audio file.

BIND

The audio ZIP returns to the LLM, which connects every media file, control, cue and path.

PUBLISH

The complete folder is uploaded to the host and mapped to its semantic custom domain.

01

Concept



02

Scripts



03

Audio ZIP



04

Live URL



The smallest rule with the largest impact.

The HTML is built to expect exact filenames before the voice assets exist.

```
SCRIPT LABEL:  
Definition narration
```

```
REQUIRED FILENAME:  
03-definition.mp3
```

```
HTML CONTROL:  
button[data-audio=  
"03-definition.mp3"]
```

```
DISPLAY LABEL:  
Hear the Definition
```

RECOMMENDED NARRATION PACKAGE

```
01-opening.mp3  
02-pronunciation.mp3  
03-pronunciation-slow.mp3  
04-definition.mp3  
05-visual-description.mp3  
06-example-sentence.mp3  
07-etymology.mp3  
08-memory-cue.mp3  
09-closing.mp3
```

RECOMMENDED VIDEO PACKAGE

```
01-pronunciation-avatar.mp4  
02-context-example.mp4  
03-character-delivery.mp4  
04-humorous-version.mp4
```

Result

The human does not rewrite code. The human returns the exact assets the code already expects.

Lowercase

Predictable across hosts and operating systems.

Hyphenated

No spaces or ambiguous special characters.

Stable

Never rename after the HTML contract is established.



One folder carries the complete experience.

No proprietary player is required. The artifact travels as standard web files.

```
active-html-project/  
|  
|-- index.html  
|-- README.md  
|-- manifest.webmanifest  
|-- robots.txt  
|-- netlify.toml  
|-- _redirects  
|  
|-- assets/  
|   |-- css/  
|       |-- main.css  
|   |-- js/  
|       |-- app.js  
|   |-- images/  
|       |-- hero-image.webp  
|       |-- social-preview.jpg  
|   |-- audio/  
|       |-- 01-opening.mp3  
|       |-- 09-closing.mp3  
|   |-- video/  
|       |-- context-example.mp4  
|       |-- character-delivery.mp4
```

ZIP

The portable unit

Archive it. Transfer it. Duplicate it.
Deploy it again.

HOST-AGNOSTIC

The same artifact can live on
Netlify, GitHub Pages or another
static host.

NO CONVERSATION DEPENDENCY

Once packaged, the artifact works independently of
the original AI session.



A modular system, not a mandatory pile of features.

Every artifact selects the layers that serve its purpose.


01 CORE CONTENT Meaning, thesis, narrative, definitions, examples.	02 VISUAL Hero imagery, diagrams, artwork, interface graphics.	03 AUDIO Narration, pronunciation, dialogue, sound and music.
04 INTERACTION Controls, reveals, navigation, sliders, quizzes.	05 CONTEXT CLIPS Micro-scenes, avatar delivery, demonstrations.	06 CHARACTER Recurring PL hosts, avatars, mascots and personae.
07 MOTION Transitions, highlights, responsive visual feedback.	08 PACKAGING Folder structure, metadata, configs and ZIP.	09 PUBLISHING Static host, custom domain, HTTPS and sharing.
10 ARCHIVE / REUSE Stored clips, images, code components and voices.	System progression: Meaning → Image → Voice → Interaction → Motion → Package → Destination	

10

COMPOSABILITY PRINCIPLE

The format scales from a three-file micro-lesson to a cinematic, chaptered interactive documentary.

What makes the HTML “active”?



RESPONDS

Controls invite intentional participation.

COORDINATES

Text, audio, image and motion
reinforce one idea.

REWARDS

Every click should teach, reinforce or delight.



Let the concept move.

A Context Clip™ is a brief, relevant video unit that demonstrates, dramatizes or creatively reinterprets the subject.

A

Direct example

Show the object, place, behavior or concept while narration identifies it.

B

Character delivery

Use a recurring PL character or avatar to pronounce, explain or perform the idea.

C

Humorous version

Convert accurate meaning into a memorable comic beat without losing the lesson.

3-10

SECONDS IS OFTEN ENOUGH

The clip is not a miniature movie interrupting the page. It is a rapid visual payoff that locks meaning into memory.



One word. Three memory pathways.

The same meaning can be reinforced through straight instruction, character personality and humor.



Direct demonstration

"The once-busy factory now stands derelict - abandoned, neglected and falling into disrepair."

Character delivery

"This place isn't vintage. It's derelict."

Humorous interpretation

A brief comic reaction uses the word accurately and makes the definition unforgettable.

PRODUCTION ROUTE

Starter image → scripted line → character voice → short video generation → MP4 placed into the filename contract.


ARCHIVE ROUTE

Select a relevant existing Sora clip → add or replace audio → repurpose it as a Context Clip™.



Different minds enter through different doors.

Active HTML™ lets one idea arrive through complementary channels instead of betting everything on one medium.



“See it. Hear it. Say it. Watch it. Use it. Remember it.”



The address explains the experience.

wotd

SERIES

vignette

TOPIC

platinumlogik.com

HOST UNIVERSE

WHAT IS IT?

The first label identifies the content series or experience type.

WHAT IS IT ABOUT?

The second label identifies the subject or concept.

WHERE DOES IT LIVE?

The parent domain identifies the creative universe.

ONE TOPIC, MULTIPLE TREATMENTS

wotd.hype.platinumlogik.com
qotd.hype.platinumlogik.com
blackpaper.hype.platinumlogik.com
viewpoint.hype.platinumlogik.com

The topic becomes a conceptual neighborhood. The first label identifies the experience being delivered.



The Perceptron experience proves the method can carry weight.


viewpoint.perceptron.platinumlogik.com

THE VISIONARY | THE MACHINE | THE SCIENCE | RISE & FALL | LEGACY | INTERACTIVE LAB

THE PERCEPTRON

THE MACHINE THAT LEARNED TO SEE

BEGIN THE STORY



CHAPTERED STORY

Historical and technical narrative organized as an explorable documentary experience.

INTERACTIVE LAB

Inputs, weights and bias can be adjusted to demonstrate the Perceptron.


NARRATION UI

The site contains a dedicated documentary narration control layer.

Concept, content, visuals, interaction and deployment - working together.



Generated project visual: Frank Rosenblatt with a neural-network overlay.



Generated project visual: Mark I Perceptron-inspired hardware scene.

CINEMATIC PRESENTATION

Mid-century laboratory aesthetics meet modern neural imagery.

TECHNICAL EXPLANATION

Weighted inputs, bias, threshold and linear separability.

INTERACTIVE DEMONSTRATION

Preset AND, OR and XOR examples make the limitation tangible.

SEMANTIC PUBLICATION

The live artifact occupies its own Viewpoint.Perceptron destination.

Project provenance: the creator reports that Grok produced the first implementation as a deliberate proof of the method. The published page visibly demonstrates the experience described above.



A word becomes an experience.

PL WOTD is the ideal repeatable
Active HTML™ micro-learning
system.

See it

Hear it

Say it

Watch it

Use it

Remember it

EXPERIENCE FORMULA

**Word + Image + Voice +
Interaction + Context Clip™ +
Memory Hook**

Suggested controls

- Play full narration
- Hear pronunciation / slow repeat
- Watch direct example
- Watch character version
- Watch humorous version

WORD OF THE DAY

Vignette

vi·gnet | vi'nyet 

DEFINITION

short descriptive passage,
m, or scene;
brief account giving
vivid impression.

A VISUAL VIGNETTE



A quiet moment, a warm drink,
and a good book.

EXAMPLE IN A SENTENCE

The author opened the novel
with a poignant **vignette** that
captured the essence of her
childhood home.

MORE TO KNOW

ORIGIN

French *vignette*,
meaning "a small vine"
or "ornamental flourish,"
from *vigne* (vine).




USED IN

Literature, journalism,
film, photography,
and storytelling—
anywhere a brief
scene can leave a
lasting impression.



SYNONYMS

- sketch
- snapshot
- portrait
- glimpse
- episode
- scene



“ Great things are not done by impulse,
but by a series of small things brought together. ”
— Vincent van Gogh

The format is medium-independent.

Once the production grammar exists, every PlatinumLogik branch can speak through it.

BLACKPAPERS™ Narrated frameworks, diagrams, evidence and interactive chapters.	VIEWPOINT Focused explorations of history, science, culture and technology.	QOTD Quote cards with voice, interpretation and character delivery.
CONCEPT SHOWCASES Interactive product, invention and speculative-system presentations.	MINI-DOCUMENTARIES Compact stories with narration, archival imagery and video inserts.	CHARACTER PORTALS Voices, biographies, animation and interconnected story-world entry points.
PLATINUMCOMIX Motion-enhanced panels, dialogue, sound and animated sequences.	MUSIC RELEASES Interactive liner notes, visualizers, commentary, lyrics and stems.	SATIRE / LAMPOON Faux ads, character performances and interactive punchlines.
EDUCATION Vocabulary, history, philosophy, media literacy and technical learning.	PORTFOLIO ARTIFACTS Independent proof of creative, technical and conceptual ability.	ARCHIVE ACTIVATION New destinations for stored images, Sora clips, music and characters.



Creative independence compounds.

2

Required creative tools

The LLM handles integrated production; ElevenLabs supplies specialized voice.

1

Portable package

A complete folder can be archived, shared, duplicated or redeployed.

∞

Possible experiences

The layers recombine across education, entertainment, art and commerce.

Lower production friction

Writing, design, coding and assembly occur in one coordinated environment.

Faster concept-to-publication

The distance between a thought and a live destination collapses.

Independent ownership

The artifact lives on the creator's domain instead of remaining trapped in a feed.

Brand coherence

Recurring design, voice, character and URL systems create a recognizable universe.

Archive compounding

Old assets become modular capital for new experiences.

Solo-creator scale

One imaginative producer can coordinate output that once required a small team.



A breakthrough becomes a method when another artifact can follow the same path.

01 | DEFINE

Topic, audience, purpose, tone, visual direction, brand, interaction and target URL.

02 | GENERATE

Copy, visuals, scripts, layout, code, file structure and media manifest.

03 | PRODUCE VOICE

Create each ElevenLabs segment and preserve the assigned filename.

04 | RETURN & BIND

Supply the audio ZIP; connect media, controls, cues and paths.

05 | VALIDATE

Test media loading, mobile layout, spelling, accessibility and browser behavior.

06 | PACKAGE

Return the complete deployment-ready folder and ZIP.

07 | PUBLISH

Deploy, add the custom domain, create the CNAME record and verify HTTPS.



Active HTML™ is defined by coordination, not bloat.

A tiny artifact and a cinematic experience can belong to the same framework.

LEVEL 01

MINIMAL

- index.html
- one meaningful media asset
- one working interaction
- portable folder

LEVEL 02

ACTIVE

- multiple sections
- custom narration
- responsive controls
- synchronized cues
- semantic domain

LEVEL 03

CINEMATIC

- chaptered narrative
- Context Clips™
- character voices
- interactive demos
- original sound design
- installable / offline options

QUALIFYING TEST

Does the artifact function after independent deployment without needing the original AI conversation? If yes, it has become a portable digital object.



Teach. Reinforce. Delight.

Every element should perform at least one of these functions. The strongest elements perform all three.

T

TEACH

Does it communicate new meaning or clarify the concept?

R

REINFORCE

Does it strengthen recall, comprehension or emotional connection?

D

DELIGHT

Does it reward attention through beauty, humor, sound or interaction?

“Every click should pay off.”

The framework compresses complexity. It does not abolish reality.

LLM CAPABILITY VARIES Not every model can inspect ZIP files, generate media, test code or return complete packages equally well.	BROWSER BEHAVIOR VARIES Autoplay, codecs, mobile layout and advanced effects require real-world testing.
MEDIA HAS WEIGHT High-resolution images, audio and video increase package size and deployment time.	NAMING MUST BE EXACT The filename contract only works when the prescribed names remain unchanged.
HUMAN REVIEW IS REQUIRED Writing, code, visuals and factual material still need judgment and correction.	ACCESSIBILITY IS INTENTIONAL Captions, transcripts, contrast, labels and keyboard navigation should be designed in.
STATIC HAS BOUNDARIES Databases, accounts, secure APIs and complex persistence may require server-side systems.	OWNERSHIP NEEDS ORDER Asset provenance, licenses and brand markings should be documented as the archive grows.

These limits do not weaken Active HTML™. They define the boundary between a portable interactive artifact and a larger web application.



From repeatable method to branded publishing system.

Reusable PL templates

WOTD, QOTD, BlackPaper, Viewpoint, music, character and documentary shells.

Automated narration pipeline

Approved scripts move directly into voice generation and return to the build.

Shared component library

Players, modals, cues, chapter controls and Context Clip™ galleries.

Artifact index

A central PlatinumLogik portal organized by series, topic, date and format.

Installable experiences

Progressive Web App support, offline access and saved collections.

Adaptive presentation

Concise or deep narration, serious or humorous mode, visual or audio-first learning.

Character continuity

Recurring PL personalities guide users through different subjects and worlds.

THE ULTIMATE PROOF ARTIFACT

Active HTML™ can explain Active HTML™ by being Active HTML™.

Active HTML transforms generative AI from a collection of novelty tools into an integrated production environment.

1

The LLM generates and assembles.

2

ElevenLabs gives it voice.

3

The human gives it intention.

4

The host gives it a destination.

THE PERMANENT PRINCIPLE

A conversation becomes
a destination.



Framework authorship, proof and implementation references.

AUTHORSHIP STATEMENT

The Active HTML™ concept, terminology, workflow, filename contract, Context Clips™ extension and series.topic.host semantic publishing model documented here were conceived and developed by Cedric Chaffold within the PlatinumLogik ecosystem.

The creator reports that Grok produced the first proof implementation as a deliberate test of the process. The live Perceptron page is cited as the operational proof artifact.

PROOF ARTIFACT

THE PERCEPTRON - The Machine That Learned to See
<https://viewpoint.perceptron.platinumlogik.com/>

PROJECT IMAGERY

The Perceptron-related visuals reproduced on pages 16-17 are assets served by the creator's proof artifact and are presented as project examples, not documentary photographs.

OFFICIAL PLATFORM REFERENCES

Netlify - Create deploys

<https://docs.netlify.com/deploy/create-deploys/>

Netlify - External DNS

<https://docs.netlify.com/manage/domains/configure-domains/configure-external-dns/>

GitHub Pages overview

<https://docs.github.com/en/pages/getting-started-with-github-pages/what-is-github-pages>

ElevenLabs Text to Speech

<https://elevenlabs.io/docs/overview/capabilities/text-to-speech>

ElevenLabs pronunciation guidance

<https://elevenlabs.io/docs/overview/capabilities/text-to-speech/best-practices>

TERMINOLOGY NOTICE

Active HTML™, Context Clips™, PlatinumLogik BlackPaper™ and related PL framework terminology are presented as emerging proprietary names and concepts. Trademark symbols signal ownership intent and do not by themselves represent a statement of registration.

Editorial note: This BlackPaper documents an original creative-production methodology and its live proof of concept. Platform capabilities may change; consult current official documentation during implementation.



A PLATINUMLOGIK BLACKPAPER™

ACTIVEHTML™

Prompt-born. Human-directed.

AI-assembled. Voice-activated.

Web-native. Portable by design.

CONCEPT & METHODOLOGY © 2026 PLATINUMLOGIK ENTERPRISES

All rights reserved | platinumlogik.com